

Amendment Under 37 C.F.R. § 1.111  
U.S. Application No. 10/730,899

Attorney Docket No.: Q74933

**AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

**LISTING OF CLAIMS:**

1. (currently amended): A fluid dispenser assembly comprising:  
a fluid dispenser (1); and  
a wrapper (2) encasing said dispenser at least in part, said wrapper defining at least one application zone (21, 26; 21', 26') ~~for coming into contact with~~ that contacts the dispenser, wherein the wrapper comprises outer side edges (28) by which the assembly is held securely in a hand; and  
~~said dispenser assembly being characterized in that wherein~~ the dispenser comprises a body (10) forming at least one substantially cylindrical segment, said segment defining an affixing zone ~~for coming into contact with~~ that contacts the application zone of the wrapper, and the dispenser further comprises a dispenser head actuable while holding the wrapper by the outer side edges.

2. (original): A dispenser assembly according to claim 1, in which the wrapper (2) defines a substantially cylindrical recess for receiving the dispenser, said recess defining the application zone.

**Amendment Under 37 C.F.R. § 1.111**  
U.S. Application No. 10/730,899

Attorney Docket No.: Q74933

3. (original): A dispenser assembly according to claim 1, in which the wrapper comprises at least one sheet (20, 25; 20', 25') shaped to match the shape of the dispenser at least in part, said sheet defining at least one application zone.

4. (original): A dispenser assembly according to claim 1, in which the wrapper is made up of two sheets (20, 25; 20', 25') that are shaped to match the shape of the dispenser at least in part, each sheet defining at least one application zone.

5. (original): A dispenser assembly according to claim 4, in which the two sheets are connected together on either side of the dispenser substantially symmetrically about the dispenser.

6. (original): A dispenser assembly according to claim 4, in which the two sheets together define two junction zones (22, 27; 22', 27') situated on either side of the dispenser, the two zones extending in a common plane.

7. (original): A dispenser assembly according to claim 6, in which each of the junction zones forms a respective junction plane.

**Amendment Under 37 C.F.R. § 1.111**

U.S. Application No. 10/730,899

Attorney Docket No.: Q74933

8. (original): A dispenser assembly according to claim 3, in which the application zone of a sheet extends substantially over nearly one half of the periphery of the substantially cylindrical segment.

9. (original): A dispenser assembly according to claim 3, in which at least one sheet has a face that is adhesive at least in part.

10. (original): A dispenser assembly according to claim 9, in which the application zone is coated with an adhesive.

11. (original): A dispenser assembly according to claim 9, in which the junction zone is coated with an adhesive.

12. (original): A dispenser assembly according to claim 1, in which the dispenser comprises a dispenser head (12) that projects from the wrapper, said head advantageously being capped by a removable protective cap (13) situated outside the wrapper.

13. (original): A dispenser assembly according to claim 7, in which the two sheets are disposed symmetrically about the junction plane.

14. (canceled).

**Amendment Under 37 C.F.R. § 1.111**  
U.S. Application No. 10/730,899

Attorney Docket No.: Q74933

15. (canceled).

16. (original): A method of manufacturing a dispenser assembly according to claim 1, comprising the following steps:

- a) causing a dispenser comprising a body defining a substantially cylindrical segment forming an affixing zone to be brought between two sheets, at least one of which is adhesive in part; and
- b) exerting pressure to bring the two sheets into contact with each other and with the dispenser so that the adhesive sheet adheres to the other sheet and to the affixing zone on the dispenser.

17. (original): A method according to claim 16, in which at least one sheet is deformed during step (b).

18. (new): The dispenser assembly according to claim 1, further comprising a reservoir comprising fluid and pump that dispenses fluid from the reservoir.

19. (new): A fluid dispenser assembly comprising:

a dispenser;

a dispensing head that actuates the dispenser when depressed; and

**Amendment Under 37 C.F.R. § 1.111**

U.S. Application No. 10/730,899

Attorney Docket No.: Q74933

a wrapper encasing at least a portion of the dispenser and defining at least one application zone that contacts the dispenser and wings that extend away from the dispenser, and wherein the dispensing head extends beyond the wrapper; and

wherein the dispenser assembly is structured to be actuated by gripping one or both wings while depressing the dispensing head.

20. (new): The dispenser assembly according to claim 19, further comprising a cylindrical reservoir comprising fluid and pump that dispenses fluid from the reservoir.